


# CPSC 314, Written Homework 3

**Out: Wed 7 Mar**  
**Due: Mon 19 Mar, 9:59am**  
**Value: 3% of final grade**  
**Total Points: 100**

## Lighting and Shading (50 pts)

1. For the following questions, refer to the figure above and the parameters below. Show your work.



- ambient light color  $I_a$  is (.1,.1,.2)
- light color  $I_L$  is (1.0, .9, .9)
- diffuse material color  $k_d$  is (.9, .2, .9)
- ambient material color  $k_a$  is (.2, .2, .2)
- specular material color  $k_s$  is (1, 1, 0)
- shininess exponent is 30

- (2 pts) Compute the normal at point B using per-vertex normals, interpolating between the provided normals for point A and point C.
- (16 pts) Compute the ambient, diffuse, specular, and total illumination at points B, C, and D using the Phong lighting model and the flat shading model.
- (16 pts) Do those computations using the Gouraud shading model.
- (16 pts) Do those computations using the Phong shading model.

## Color (10 pts)

2. (10 pts) Convert the RGB triplet (.5,.2,.8) to the YIQ, HSV, and CMY color spaces. Show your work.

## Rasterization (15 pts)

3. (15 pts) Give an algorithm for scan-converting a line with the Bresenham approach that works in the second octant (lines with slope between 1 and infinity), rather than the first octant as described in class (lines with slope between 0 and 1).

## Interpolation (25 pts)

4. (25 pts) Find the barycentric coordinates  $\alpha, \beta,$  and  $\gamma$  for P, and use them to interpolate the the (r, g, b) color component at that point. Show your work.

