



Color

Wolfgang Heidrich

© Wolfgang Heidrich



Course News

Assignment 3 (project)

- Due April 1

Reading (this week)

- Chapter 20 (color)

Reading (this week & next)

- Chapter 10 (ray tracing)

Wolfgang Heidrich

Course Topics for the Rest of the Term



Color

- Today, Wednesday

Ray-tracing & Global Illumination

- Friday, next week

Parametric Curves/Surfaces

- March 30/April 1
- Taught by Robert Bridson - I will be at a conference

Overview of current research

- April 3/6 (Ivo Ihrke – I am still at conference)

April 8 – Final Q&A (I will be back for that)

© Wolfgang Heidrich



Color


Wolfgang Heidrich

© Wolfgang Heidrich

So far in this Course: Simple Model of Color



- Simple model based on RGB triples
 - Component-wise multiplication of colors
- $(a_0, a_1, a_2) * (b_0, b_1, b_2) = (a_0 * b_0, a_1 * b_1, a_2 * b_2)$
Light \times object = color




Wolfgang Heidrich

Basics Of Color



Elements of color:



Wolfgang Heidrich



Basics of Color

Physics

- Illumination
 - Electromagnetic spectra
- Reflection
 - Material properties
 - Surface geometry and microgeometry (i.e., polished versus matte versus brushed)


Perception

- Physiology and neurophysiology
- Perceptual psychology

Wolfgang Heidrich



Electromagnetic Spectrum





Light Sources

Common light sources differ in the kind of spectrum they emit:

- Continuous spectrum
 - *Energy is emitted at all wavelengths*
 - Blackbody radiation
 - Tungsten light bulbs
 - Certain fluorescent lights
 - Sunlight
 - Electrical arcs
- Line spectrum
 - *Energy is emitted at certain discrete frequencies*

Wolfgang Heidrich



Blackbody Radiation

Black body

- Dark material, so that reflection can be neglected
- Spectrum of emitted light changes with temperature
 - *This is the origin of the term “color temperature”*
 - E.g. when setting a white point for your monitor
 - *Cold: mostly infrared*
 - *Hot: redish*
 - *Very hot: bluish*
- Demo:




<http://www.mhhe.com/physci/astronomy/applets/Blackbody/frame.html>

©2005 D. Duke



White Light


- Sun or light bulbs emit all frequencies within the visible range to produce what we perceive as the "white light"
- But the exact tone depends on the emitted spectrum




Wolfgang Heidrich



Sunlight Spectrum



Emission Graph



Electromagnetic Spectrum


Wolfgang Heidrich

Continuous Spectrum

Example:

- Sunlight
- Various "daylight" lamps

A Comparison of Relative Spectral Energy Distribution



SUNLIGHT
 Spectral Energy Distribution - Broadband Radiation
 Measured at 0% Humidity

Sunlight in Clear Air
 As used in the Weather Service "Clear Sky Index"

Xenon Arc Lamp
 As used in the Weather Service "Clear Sky Index"

FS-40 Fluorescent Sun Lamp
 Comparison of the Weather Service "Clear Sky Index"

Accelerated weathering devices are used to determine the effects of sunlight on various substrates.

This graph illustrates the spectral energy distribution as a function of wavelength produced by a number of artificial light sources. The farther left the wavelength appears on the graph (i.e., shorter wavelength), the higher the energy output generated. The graph compares these energy outputs to terrestrial sunlight. The closer the energy distribution is to light, the more reliable an accurate the results of the experiment. Accelerated weathering

devices that emit larger amounts of shorter wavelength radiation are used in shorter periods of time, and often correlate less well than those instruments with the wavelength distribution of terrestrial sunlight.


CIBA-GEIGY

CIBA-GEIGY Corporation
 3000 Central Expressway
 Redwood City, CA 94063
 Tel: 415/335-4000

Line Spectrum

Examples:

- Ionized gases
- Lasers
- Some fluorescent lamps





White Light and Color


- When white light is incident upon an object, some frequencies are reflected and some are absorbed by the object
 - *But generally, the wavelength of reflected photons remains the same*
 - *Exceptions: fluorescence, phosphorescence...*
- Combination of frequencies present in the reflected light that determines what we perceive as the color of the object

Wolfgang Heidrich



Hue

Hue (or simply, "color") is dominant wavelength/frequency




- Integration of energy for all visible wavelengths is proportional to intensity of color

Wolfgang Heidrich

Saturation or Purity of Light

How washed out or how pure the color of the light appears

- Contribution of dominant light vs. other frequencies producing white light
- Saturation: how far is color from grey
 - *Pink is less saturated than red, sky blue is less saturated than royal blue*



Intensity vs. Brightness

Intensity : physical term

- **Measured** radiant energy emitted per unit of time, per unit solid angle, and per unit projected area of the source (related to the luminance of the source)


Lightness/brightness: perceived intensity of light

- Nonlinear

Physiology of Vision

The retina

- Rods
 - B/w, edges
- Cones
 - Color!




Wolfgang Heidrich

Physiology of Vision

Center of retina is densely packed region called the fovea.

- Cones much denser here than the *periphery*



Wolfgang Heidrich



Perceptual vs. Colorimetric Terms

Perceptual

- Hue
- Saturation
- Lightness
 - *Reflecting objects*
- Brightness
 - *Light sources*

Colorimetric

- Dominant wavelength
- Excitation purity
- Luminance
- Luminance

Wolfgang Heidrich



Color/Lightness Constancy

Color perception also depends on surrounding

- Colors in close proximity
- Illumination under which the scene is viewed


Wolfgang Heidrich



Adaptation, Surrounding Color

Color perception is also affected by

- Adaptation (move from sunlight to dark room)
- Surrounding color/intensity:
 - *Simultaneous contrast effect*



Wolfgang Heidrich



Color/Lightness Constancy





Image courtesy of John McCann

Wolfgang Heidrich




Color/Lightness Constancy



Wolfgang Heidrich



Color/Lightness Constancy



Wolfgang Heidrich



Color/Lightness Constancy



Wolfgang Heidrich




Color/Lightness Constancy



Wolfgang Heidrich

Color/Lightness Constancy



Wolfgang Heidrich

Color Constancy

- Automatic “white balance” from change in illumination
- Vast amount of processing behind the scenes!
- Colorimetry vs. perception



Tristimulus Theory of Color Vision




- Although light sources can have extremely complex spectra, it was empirically determined that colors could be described by only 3 **primaries**
- Colors that look the same but have different spectra are called **metamers**
- Metamer demo:
http://www.cs.brown.edu/exploratories/freeSoftware/catalogs/color_theory.html

Wolfgang Heidrich

Color Matching Experiments



**Performed
in the 1930s**



Idea: perceptually based measurement

- shine given wavelength (λ) on a screen
- User must control three pure lights producing three other wavelengths (say R=700 nm, G=546 nm, and B=438 nm)
- Adjust intensity of RGB until colors are identical

Wolfgang Heidrich



Color Matching Experiment

Results

- It was found that any color $S(\lambda)$ could be matched with three suitable primaries $A(\lambda)$, $B(\lambda)$, and $C(\lambda)$
 - Used monochromatic light at 438, 546, and 700 nanometers

- Also found the space is linear, i.e. if

$$R(\lambda) \equiv S(\lambda)$$

then

$$R(\lambda) + M(\lambda) \equiv S(\lambda) + M(\lambda)$$

and

$$k \cdot R(\lambda) \equiv k \cdot S(\lambda)$$


Wolfgang Heidrich



Negative Lobes

Actually:

- Exact target match possible sometimes requires “negative light”



- Some red has to be added to target color to permit exact match using “knobs” on RGB intensity output
- Equivalent mathematically to removing red from RGB output

Wolfgang Heidrich



Notation

Don't confuse:

- Primaries: the spectra of the three different light sources: **R, G, B**
 - For the matching experiments, these were **monochromatic** (i.e. single wavelength) light!
 - Primaries for displays usually have a wider spectrum
- Coefficients R, G, B
 - Specify how much of **R, G, B** is in a given color
- Color matching functions: $r(\lambda), g(\lambda), b(\lambda)$
 - Specify how much of **R, G, B** is needed to produce a color that is a metamer for pure

Wolfgang Heidrich



Negative Lobes

So:

- Can't generate **all** other wavelengths with **any** set of three **positive** monochromatic lights!

Solution:

- Convert to new synthetic "primaries" to make the color matching easy

$$\begin{pmatrix} \mathbf{X} \\ \mathbf{Y} \\ \mathbf{Z} \end{pmatrix} = \begin{pmatrix} 2.36460 & -0.51515 & 0.00520 \\ -0.89653 & 1.42640 & -0.01441 \\ -0.46807 & 0.08875 & 1.00921 \end{pmatrix} \begin{pmatrix} \mathbf{R} \\ \mathbf{G} \\ \mathbf{B} \end{pmatrix}$$

Note:


- **R, G, B** are the same monochromatic primaries as before
- The corresponding matching functions $x(\lambda), y(\lambda), z(\lambda)$ are now positive everywhere
- But the primaries contain "negative" light contributions, and are therefore not physically realizable

Wolfgang Heidrich

Matching Functions - CIE Color Space





- CIE defined three “imaginary” lights X, Y, and Z, any wavelength λ can be matched perceptually by positive combinations



Wolfgang Heidrich

Matching Functions - Measured vs. CIE Color Spaces



Measured basis

- Monochromatic lights
- Physical observations
- Negative lobes

Transformed basis

- “imaginary” lights
- All positive, unit area matching functions
- Y is luminance, no hue
- X,Z no luminance

Wolfgang Heidrich

Notation

Don't confuse:


- Synthetic primaries **X, Y, Z**
 - Contain negative frequencies
 - Do not correspond to visible colors
- Color matching functions $x(\lambda)$, $y(\lambda)$, $z(\lambda)$
 - Are non-negative everywhere
- Coefficients X , Y , Z
- Normalized **chromaticity values**

$$x = \frac{X}{X+Y+Z}, y = \frac{Y}{X+Y+Z}, z = \frac{Z}{X+Y+Z}$$

Wolfgang Heidrich


CIE Gamut and λ Chromaticity Diagram

3D gamut



Chromaticity diagram

- Hue only, no intensity



Wolfgang Heidrich

Facts about the CIE “Horseshoe” Diagram



- All visible colors lie inside the horseshoe
 - *Result from color matching experiments*
- Spectral (monochromatic) colors lie around the border
 - *The straight line between blue and red contains the purple tones*
- Colors combine linearly (i.e. along lines), since the xy-plane is a plane from a linear space

Wolfgang Heidrich

Facts about the CIE “Horseshoe” Diagram (cont.)




A point C can be chosen as a white point corresponding to an illuminant

- Usually this point is of the curve swept out by the black body radiation spectra for different temperatures
- Relative to C, two colors are called complementary if they are located along a line segment through C, but on opposite sides (i.e C is an affine combination of the two colors)
- The dominant wavelength of the color is found by extending the line from C through the color to the edge of the diagram
- Some colors (i.e. purples) do not have a dominant wavelength, but their complementary color does


Wolfgang Heidrich

CIE Diagram

- Blackbody curve
- Illumination:
 - Candle 2000K
 - Light bulb 3000K (A)
 - Sunset/sunrise 3200K
 - Day light 6500K (D)
 - Overcast day 7000K
 - Lightning >20,000K



Color Interpolation, Dominant & Opponent Wavelength



Wolfgang Heidrich


RGB Color Space (Color Cube)

Define colors with (r, g, b) amounts of red, green, and blue

- Used by OpenGL
- Hardware-centric
- Describes the colors that can be generated with specific RGB light sources

RGB color cube sits within CIE color space

- Subset of perceivable colors
- Scaled, rotated, sheared cube





ich

Device Color Gamuts

Use CIE chromaticity diagram to compare the gamuts of various devices


- X, Y, and Z are hypothetical light sources, not used in practice as device primaries



Wolfgang Heidrich

Gamut Mapping

Where does this color go?



Wolfgang Heidrich

Additive vs. Subtractive Colors


Additive: light

- Monitors, LCDs
- RGB model

$$\begin{bmatrix} C \\ M \\ Y \end{bmatrix} = \begin{bmatrix} 1 \\ 1 \\ 1 \end{bmatrix} - \begin{bmatrix} R \\ G \\ B \end{bmatrix}$$

Subtractive: pigment

- Printers
- CMY(K) model





Wolfgang Heidrich

HSV Color Space

More intuitive color space for people

- H = Hue
- S = Saturation
- V = Value
 - Or brightness B
 - Or intensity I



Wolfgang Heidrich

Monitors

Monitors have nonlinear response to input

- Characterize by **gamma**
 - $displayedIntensity = a^\gamma (maxIntensity)$

Gamma correction

- $displayedIntensity = \left(a^{1/\gamma}\right)^\gamma (maxIntensity)$
= $a (maxIntensity)$

Gamma for CRTs:

- Around 2.4

Wolfgang Heidrich



Coming Up...

Wednesday:

- More color, ray-tracing

Friday:

- Ray-tracing