



Tamara Munzner

### Textures III

Week 10, Wed Mar 24

<http://www.ugrad.cs.ubc.ca/~cs314/Vjan2010>

### News

- signup sheet for P3 grading
  - Mon/today/Fri signups in class
  - or send email to dingkai AT cs
    - by 48 hours after the due date or you'll lose marks
- (P4 went out Monday)

2


### Review: Basic OpenGL Texturing

- setup
  - generate identifier: `glGenTextures`
  - load image data: `glTexImage2D`
  - set texture parameters (tile/clamp/...): `glTexParameter`
  - set texture drawing mode (modulate/replace/...): `glTexEnvf`
- drawing
  - enable: `glEnable`
  - bind specific texture: `glBindTexture`
  - specify texture coordinates before each vertex: `glTexCoord2f`

3

### Review: Reconstruction


- how to deal with:
  - pixels that are much larger than texels?
    - apply filtering, "averaging"
  - pixels that are much smaller than texels?
    - interpolate





4

### Review: MIPmapping

- image pyramid, precompute averaged versions



Without MIP-mapping




With MIP-mapping

6


### Texture Parameters

- in addition to color can control other material/object properties
  - surface normal (bump mapping)
  - reflected color (environment mapping)




### Bump Mapping: Normals As Texture

- object surface often not smooth – to recreate correctly need complex geometry model
- can control shape "effect" by locally perturbing surface normal
  - random perturbation
  - directional change over region




7

### Bump Mapping




8

### Bump Mapping



### Embossing


- at transitions
  - rotate point's surface normal by  $\theta$  or  $-\theta$



10

### Displacement Mapping


- bump mapping gets silhouettes wrong
  - shadows wrong too
- change surface geometry instead
  - only recently available with realtime graphics
  - need to subdivide surface



11

### Environment Mapping

- cheap way to achieve reflective effect
  - generate image of surrounding
  - map to object as texture



12

### Environment Mapping

- used to model object that reflects surrounding textures to the eye
  - movie example: cyborg in Terminator 2
- different approaches
  - sphere, cube most popular
    - OpenGL support
      - `GL_SPHERE_MAP`, `GL_CUBE_MAP`
  - others possible too

13

### Sphere Mapping

- texture is distorted fish-eye view
  - point camera at mirrored sphere
  - spherical texture mapping creates texture coordinates that correctly index into this texture map



14


### Cube Mapping

- 6 planar textures, sides of cube
  - point camera in 6 different directions, facing out from origin



15

### Cube Mapping



16


## Cube Mapping

- direction of reflection vector  $r$  selects the face of the cube to be indexed
  - co-ordinate with largest magnitude
    - e.g., the vector  $(-0.2, 0.5, -0.84)$  selects the  $-Z$  face
- remaining two coordinates (normalized by the 3<sup>rd</sup> coordinate) selects the pixel from the face.
  - e.g.,  $(-0.2, 0.5)$  gets mapped to  $(0.38, 0.80)$ .
- difficulty in interpolating across faces

17

## Volumetric Texture

- define texture pattern over 3D domain - 3D space containing the object
  - texture function can be digitized or **procedural**
  - for each point on object compute texture from point location in space
- common for natural material/irregular textures (stone, wood, etc...)



## Volumetric Bump Mapping

Marble



Bump



19

## Volumetric Texture Principles

- 3D function  $\rho(x, y, z)$
- texture space - 3D space that holds the texture (discrete or continuous)
- rendering: for each rendered point  $P(x, y, z)$  compute  $\rho(x, y, z)$
- volumetric texture mapping function/space transformed with objects

20

## Procedural Approaches



### Procedural Textures

- generate "image" on the fly, instead of loading from disk
  - often saves space
  - allows arbitrary level of detail

21

### Procedural Texture Effects: Bombing


- randomly drop bombs of various shapes, sizes and orientation into texture space (store data in table)
  - for point  $P$  search table and determine if inside shape
    - if so, color by shape
    - otherwise, color by objects color



23

### Procedural Texture Effects

- simple marble



```
function boring_marble(point)
  x = point.x;
  return marble_color(sin(x));
// marble_color maps scalars to colors
```

24

## Perlin Noise: Procedural Textures

- several good explanations
  - FCG Section 10.1
  - <http://www.noisemachine.com/talk1>
  - [http://freespace.virgin.net/hugo.elias/models/m\\_perlin.htm](http://freespace.virgin.net/hugo.elias/models/m_perlin.htm)
  - <http://www.robo-murilo.net/code/perlin-noise-math-faq.html>




<http://mfi.nyu.edu/~perlin/planet/>

25


## Perlin Noise: Coherency

- smooth not abrupt changes

coherent




white noise



26

## Perlin Noise: Turbulence


- multiple feature sizes
  - add scaled copies of noise



27

## Perlin Noise: Turbulence

- multiple feature sizes
  - add scaled copies of noise




28

## Perlin Noise: Turbulence

- multiple feature sizes
  - add scaled copies of noise

```
function turbulence(p)
  t = 0; scale = 1;
  while (scale > pixelsize) {
    t +=
    abs(Noise(p/scale)*scale);
    scale/=2;
  } return t;
```



29

## Generating Coherent Noise

- just three main ideas
  - nice interpolation
  - use vector offsets to make grid irregular
  - optimization
    - sneaky use of 1D arrays instead of 2D/3D one

## Interpolating Textures


- nearest neighbor
- bilinear
- hermite



31

## Vector Offsets From Grid

- weighted average of gradients
  - random unit vectors



32

## Optimization

- save memory and time
- conceptually:
  - 2D or 3D grid
  - populate with random number generator
- actually:
  - precompute two 1D arrays of size n (typical size 256)
    - random unit vectors
    - permutation of integers 0 to n-1
  - lookup
    - $g(i, j, k) = G((i + P[(j + P[k]) \bmod n]) \bmod n)$

33

## Perlin Marble

- use turbulence, which in turn uses noise:

```
function marble(point)
  x = point.x + turbulence(point);
  return marble_color(sin(x))
```



34

## Procedural Modeling

- textures, geometry
  - nonprocedural: explicitly stored in memory
- procedural approach
  - compute something on the fly
  - often less memory cost
  - visual richness
- fractals, particle systems, noise

35

## Fractal Landscapes

- fractals: not just for "showing math"
  - triangle subdivision
  - vertex displacement
  - recursive until termination condition



<http://www.fractal-landscapes.co.uk/images.html>

36

## Self-Similarity


- infinite nesting of structure on all scales



37

## Fractal Dimension

- $D = \log(N)/\log(r)$   
N = measure, r = subdivision scale
- Hausdorff dimension: noninteger




$$D = \log(N)/\log(r) \quad D = \log(4)/\log(3) = 1.26$$

<http://www.vanderbilt.edu/AnS/psychology/cogsci/chaos/workshop/Fractals.html>

38

## Language-Based Generation

- L-Systems: after Lindenmayer
  - Koch snowflake: F :- FLFRFLF
    - F: forward, R: right, L: left
  - Mariano's Bush: F=FF[-F+F+F]+[+F-F-F]
    - angle 16




<http://spanky.triumf.ca/www/fractint/sys/plants.html>

39

## 1D: Midpoint Displacement

- divide in half
- randomly displace
- scale variance by half



<http://www.gameprogrammer.com/fractal.html>

40

## 2D: Diamond-Square

- fractal terrain with diamond-square approach
  - generate a new value at midpoint
  - average corner values + random displacement
  - scale variance by half each time



41


## Particle Systems

- loosely defined
  - modeling, or rendering, or animation
- key criteria
  - collection of particles
  - random element controls attributes
    - position, velocity (speed and direction), color, lifetime, age, shape, size, transparency
    - predefined stochastic limits: bounds, variance, type of distribution

42

## Particle System Examples

- objects changing fluidly over time
  - fire, steam, smoke, water
- objects fluid in form
  - grass, hair, dust
- physical processes
  - waterfalls, fireworks, explosions
- group dynamics: behavioral
  - birds/bats flock, fish school, human crowd, dinosaur/elephant stampede



43

## Particle Systems Demos

- general particle systems
  - <http://www.wondertouch.com>
- boids: bird-like objects
  - <http://www.red3d.com/cwr/boids/>

44

## Particle Life Cycle

- generation
  - randomly within "fuzzy" location
  - initial attribute values: random or fixed
- dynamics
  - attributes of each particle may vary over time
    - color darker as particle cools off after explosion
  - can also depend on other attributes
    - position: previous particle position + velocity + time
- death
  - age and lifetime for each particle (in frames)
  - or if out of bounds, too dark to see, etc

45

## Particle System Rendering

- expensive to render thousands of particles
- simplify: avoid hidden surface calculations
  - each particle has small graphical primitive (blob)
  - pixel color: sum of all particles mapping to it
- some effects easy
  - temporal anti-aliasing (motion blur)
    - normally expensive: supersampling over time
    - position, velocity known for each particle
    - just render as streak

46

## Procedural Approaches Summary

- Perlin noise
- fractals
- L-systems
- particle systems
- not at all a complete list!
  - big subject: entire classes on this alone

47