



Chapter 10

Hidden Surface Removal/  
Depth Test




UBC



## Occlusion


- For most interesting scenes, some polygons overlap




- To render the correct image, we need to determine which polygons occlude which

## Painter's Algorithm


- Simple: render the polygons from back to front, "painting over" previous polygons




- Draw cyan, then green, then red
- Will this work in general?




## Painter's Algorithm: Problems




- Intersecting polygons present a problem
- Even non-intersecting polygons can form a cycle with no valid visibility order:







## Hidden Surface Removal





- Object Space Methods:
  - Work in 3D before scan conversion
    - E.g. Painter's algorithm
  - Usually independent of resolution
    - Important to maintain independence of output device (screen/printer etc.)
- Image Space Methods:
  - Work on per-pixel/per fragment basis after scan conversion
  - Z-Buffer/Depth Buffer
  - Much faster, but resolution dependent




## The Z-Buffer Algorithm




- What happens if multiple primitives occupy the same pixel on the screen?
- Which is allowed to paint the pixel?







## The Z-Buffer Algorithm




- Idea: retain depth after projection transform
  - Each vertex maintains z coordinate
    - Relative to eye point
    - To compute z per pixel use barycentric coordinates (next week)




## The Z-Buffer Algorithm



- Augment color framebuffer with Z-buffer
  - Also called depth buffer
  - Stores z value at each pixel
  - At frame beginning, initialize all pixel depths to  $\infty$  (depth = far)
- When scan converting: interpolate depth (z) across polygon
- Check z-buffer before storing pixel color in framebuffer and storing depth in z-buffer
  - don't write pixel if its z value is more distant than the z value already stored there




## Z-Buffer




- Store (r,g,b,z) for each pixel
  - typically 8+8+8+24 bits, can be more


```
for all i,j {
  Depth[i,j] = MAX_DEPTH
  Image[i,j] = BACKGROUND_COLOUR
}
for all polygons P {
  for all pixels in P {
    if (Z_pixel < Depth[i,j]) {
      Image[i,j] = C_pixel
      Depth[i,j] = Z_pixel
    }
  }
}
```




## Interpolating Z




- Use barycentric coordinates
  - Interpolate z like other parameters
    - E.g. color
    - Use one of three formulas shown
      - Plane/edge walk/barycentric







## The Z-Buffer Algorithm (mid-70's)



- History:
  - Object space algorithms were proposed when memory was expensive
  - First 512x512 framebuffer was >\$50,000!
- Radical new approach at the time
  - The big idea:
    - Resolve visibility independently at each pixel



## Depth Test Precision




---

- Reminder: projective transformation maps eye-space  $z$  to generic  $z$ -range (NDC)
- Simple example:


$$T \begin{pmatrix} x \\ y \\ z \\ 1 \end{pmatrix} = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & a & b \\ 0 & 0 & -1 & 0 \end{bmatrix} \begin{pmatrix} x \\ y \\ z \\ 1 \end{pmatrix}$$

- Thus:

$$z_{NDC} = \frac{a \cdot z_{eye} + b}{z_{eye}} = a + \frac{b}{z_{eye}}$$





## Depth Test Precision




---

- Therefore, depth-buffer essentially stores  $1/z$ , rather than  $z$ !
- Issue with **integer** depth buffers
  - High precision for near objects
  - Low precision for far objects







## Depth Test Precision



- Low precision can lead to **depth fighting** for far objects
  - Two different depths in eye space get mapped to same depth in framebuffer
  - Which object “wins” depends on drawing order and scan-conversion
- Gets worse for larger ratios  $f:n$ 
  - Rule of thumb:  $f:n < 1000$  for 24 bit depth buffer
- With 16 bits cannot discern cm differences in objects at 1 km distance




## Z-Buffer Algorithm Questions




- How much memory does the Z-buffer use?
- Does the image rendered depend on the drawing order?
- Does the time to render the image depend on the drawing order?
- How does Z-buffer load scale with visible polygons? with framebuffer resolution?







## Z-Buffer Pros




- Simple!!!
- Easy to implement in hardware
  - Hardware support in all graphics cards today
- Polygons can be processed in arbitrary order
- Easily handles polygon interpenetration




## Z-Buffer Cons




- Poor for scenes with high depth complexity
  - Need to render all polygons, even if most are invisible




- Shared edges/overlaps handled inconsistently
  - *Ordering dependent*




## Z-Buffer Cons




- Requires “lots” of memory
  - (e.g. 1280x1024x32 bits)
- Requires fast memory
  - Read-Modify-Write in inner loop
- Hard to simulate transparent polygons
  - We throw away color of polygons behind closest one
  - Works if polygons ordered back-to-front
    - Extra work throws away much of the speed advantage




## Object Space Algorithms



- Determine visibility on object or polygon level
  - Using camera coordinates
- Resolution independent
  - Explicitly compute visible portions of polygons
- Early in pipeline
  - After clipping
- Requires depth-sorting
  - Painter’s algorithm
  - BSP trees




## BSP Trees: Idea



---

- For any plane (3D) objects on the *same* side of plane as viewer CANNOT be occluded by objects on other side
- Idea:
  - Recursively split space by planes
  - Traverse resulting tree to establish rendering order
    - Test eye location w.r.t. each plane










## Creating BSP Trees: Objects














## Splitting Objects




- No bunnies were harmed in previous example
- But what if a splitting plane passes through an object?
  - Split the object; give half to each node









## Traversing BSP Trees







- Tree creation independent of viewpoint
  - Preprocessing step
- Tree traversal uses viewpoint
  - Runtime, happens for many different viewpoints
























**Traversing BSP Trees**


- Each plane divides world into near and far
  - For given viewpoint, decide which side is near and which is far
    - Check which side of plane viewpoint is on independently for each tree vertex
    - Tree traversal differs depending on viewpoint!
  - Recursive algorithm
    - Recurse on far side
    - Draw object
    - Recurse on near side




## Traversing BSP Trees






```
renderBSP(BSPtree *T)
  BSPtree *near, *far;
  if (eye on left side of T->plane)
    near = T->left; far = T->right;
  else
    near = T->right; far = T->left;
  renderBSP(far);
  if (T is a leaf node)
    renderObject(T)
  renderBSP(near);
```




## BSP Trees : Viewpoint B









## BSP Demo



- Useful demo:
  - <http://symbolcraft.com/graphics/bsp>




## Summary: BSP Trees





- Pros:
  - Simple, elegant scheme
  - Correct version of painter's algorithm back-to-front rendering approach
  - Still very popular for video games
- Cons:
  - Slow(ish) to construct tree:  $O(n \log n)$  to split, sort
  - Splitting increases polygon count:  $O(n^2)$  worst-case
  - Computationally intense preprocessing stage restricts algorithm to static scenes



## Back Face Culling (object space)



- In closed polyhedron you don't see object "back" faces
- Assumption
  - Normals of faces point *out* from the object



## Back Face Culling

- Determine back & front faces using sign of inner product  $nv$ 
$$n \cdot v = n_x v_x + n_y v_y + n_z v_z = \|n\| \cdot \|v\| \cos \theta$$
- In a convex object :
  - Invisible back faces
  - All front faces entirely visible  $\Rightarrow$  solves hidden surfaces problem
- In non-convex object:
  - Invisible back faces
  - Front faces can be visible, invisible, or partially visible

