

Textures

<http://www.ugrad.cs.ubc.ca/~cs314/Vjan2013>


Reading for Texture Mapping

- FCG Chap 11 Texture Mapping
 - except 11.7 (except 11.8, 2nd ed)
- RB Chap Texture Mapping

2

Texturing

Rendering Pipeline



3

Texture Mapping

- real life objects have nonuniform colors, normals
- to generate realistic objects, reproduce coloring & normal variations = **texture**
- can often replace complex geometric details



5


Texture Mapping

- introduced to increase realism
 - lighting/shading models not enough
- hide geometric simplicity
 - images convey illusion of geometry
 - map a brick wall texture on a flat polygon
 - create bumpy effect on surface
- associate 2D information with 3D surface
 - point on surface corresponds to a point in texture
 - "paint" image onto polygon

6

Color Texture Mapping


- define color (RGB) for each point on object surface
- two approaches
 - surface texture map
 - volumetric texture



7


Texture Coordinates

- texture image: 2D array of color values (**texels**)
- assigning **texture coordinates** (s,t) at vertex with object coordinates (x,y,z,w)
 - use interpolated (s,t) for texel lookup at each pixel
 - use value to modify a polygon's color
 - or other surface property
 - specified by programmer or artist




8

Texture Mapping Example




9

Example Texture Map



10

Fractional Texture Coordinates




11

Texture Lookup: Tiling and Clamping

- what if s or t is outside the interval [0...1]?
- multiple choices
 - use fractional part of texture coordinates
 - cyclic repetition of texture to tile whole surface
 - `glTexParameterf(..., GL_TEXTURE_WRAP_S, GL_REPEAT, GL_TEXTURE_WRAP_T, GL_REPEAT, ...)`
 - clamp every component to range [0...1]
 - re-use color values from texture image border
 - `glTexParameterf(..., GL_TEXTURE_WRAP_S, GL_CLAMP, GL_TEXTURE_WRAP_T, GL_CLAMP, ...)`

12

Tiled Texture Map



14

Demo

- Nate Robbins tutors
 - texture

Texture Coordinate Transformation

- motivation
 - change scale, orientation of texture on an object
- approach
 - *texture matrix stack*
 - transforms specified (or generated) tex coords
 - `glMatrixMode(GL_TEXTURE);`
 - `glLoadIdentity();`
 - `glRotate();`
 - ...
 - more flexible than changing (s,t) coordinates
- [demo]


15

Texture Functions

- once have value from the texture map, can:
 - directly use as surface color: `GL_REPLACE`
 - throw away old color, lose lighting effects
 - modulate surface color: `GL_MODULATE`
 - multiply old color by new value, keep lighting info
 - texturing happens **after** lighting, not **re**lit
 - use as surface color, modulate alpha: `GL_DECAL`
 - like replace, but supports texture transparency
 - blend surface color with another: `GL_BLEND`
 - new value controls which of 2 colors to use
 - indirection, new value not used directly for coloring
- specify with `glTexEnvf(GL_TEXTURE_ENV, GL_TEXTURE_ENV_MODE, <mode>)`
- [demo]

16

Texture Pipeline



17

Texture Objects and Binding

- texture object
 - an OpenGL data type that keeps textures resident in memory and provides identifiers to easily access them
 - provides efficiency gains over having to repeatedly load and reload a texture
 - you can prioritize textures to keep in memory
 - OpenGL uses least recently used (LRU) if no priority is assigned
- texture binding
 - which texture to use right now
 - switch between preloaded textures

18

Basic OpenGL Texturing

- create a texture object and fill it with texture data:
 - `glGenTextures(num, &indices)` to get identifiers for the objects
 - `glBindTexture(GL_TEXTURE_2D, identifier)` to bind
 - following texture commands refer to the bound texture
 - `glTexParameterf(GL_TEXTURE_2D, ..., ...)` to specify parameters for use when applying the texture
 - `glTexImage2D(GL_TEXTURE_2D, ..., ...)` to specify the texture data (the image itself)
- enable texturing: `glEnable(GL_TEXTURE_2D)`
- state how the texture will be used:
 - `glTexEnvf(...)`
- specify texture coordinates for the polygon:
 - use `glTexCoord2f(s, t)` before each vertex:
 - `glTexCoord2f(0, 0); glVertex3f(x, y, z);`

19

Low-Level Details

- large range of functions for controlling layout of texture data
 - state how the data in your image is arranged
 - e.g.: `glPixelStorei(GL_UNPACK_ALIGNMENT, 1)` tells OpenGL not to skip bytes at the end of a row
 - you must state how you want the texture to be put in memory: how many bits per "pixel", which channels,...
- textures must be square and size a power of 2
 - common sizes are 32x32, 64x64, 256x256
 - smaller uses less memory, and there is a finite amount of texture memory on graphics cards
- ok to use texture template sample code for project 4
 - <http://nehe.gamedev.net/data/lessons/lesson.asp?lesson=09>

20


Texture Mapping

- texture coordinates
 - specified at vertices
 - `glTexCoord2f(s, t);`
 - `glVertexf(x, y, z);`
 - interpolated across triangle (like R,G,B,Z)
 - ...well not quite!

21

Texture Mapping


- texture coordinate interpolation
 - perspective foreshortening problem



22

Interpolation: Screen vs. World Space

- screen space interpolation incorrect
 - problem ignored with shading, but artifacts more visible with texturing



23


Texture Coordinate Interpolation

- perspective correct interpolation
 - α, β, γ :
 - barycentric coordinates of a point P in a triangle
 - s_0, s_1, s_2 :
 - texture coordinates of vertices
 - w_0, w_1, w_2 :
 - homogeneous coordinates of vertices

$$s = \frac{\alpha \cdot s_0 / w_0 + \beta \cdot s_1 / w_1 + \gamma \cdot s_2 / w_2}{\alpha / w_0 + \beta / w_1 + \gamma / w_2}$$

24

Reconstruction




(Image courtesy of Kiriakos Kutulakos, U Rochester)

25

Reconstruction


- how to deal with:
 - pixels that are much larger than texels?
 - apply filtering, "averaging"
 - pixels that are much smaller than texels?
 - interpolate



26

MIPmapping

use "image pyramid" to precompute averaged versions of the texture




Without MIP-mapping

With MIP-mapping

MIPmaps


- multum in parvo -- many things in a small place
 - prespecify a series of prefiltered texture maps of decreasing resolutions
 - requires more texture storage
 - avoid shimmering and flashing as objects move
- `gluBuild2DMipmaps`
 - automatically constructs a family of textures from original texture size down to 1x1



28

MIPmap storage

- only 1/3 more space required



29

Texture Parameters


- in addition to color can control other material/object properties
 - surface normal (bump mapping)
 - reflected color (environment mapping)



30


Bump Mapping: Normals As Texture

- object surface often not smooth – to recreate correctly need complex geometry model
- can control shape "effect" by locally perturbing surface normal
 - random perturbation
 - directional change over region




31

Bump Mapping



32


Bump Mapping



34

Embossing


- at transitions
 - rotate point's surface normal by θ or $-\theta$



34

Displacement Mapping

- bump mapping gets silhouettes wrong
 - shadows wrong too
- change surface geometry instead
 - only recently available with realtime graphics
 - need to subdivide surface



35

Environment Mapping

- cheap way to achieve reflective effect
 - generate image of surrounding
 - map to object as texture



36


Environment Mapping

- used to model object that reflects surrounding textures to the eye
 - movie example: cyborg in Terminator 2
- different approaches
 - sphere, cube most popular
 - OpenGL support
 - `GL_SPHERE_MAP`, `GL_CUBE_MAP`
 - others possible too

37

Sphere Mapping

- texture is distorted fish-eye view
 - point camera at mirrored sphere
 - spherical texture mapping creates texture coordinates that correctly index into this texture map



38


Cube Mapping

- 6 planar textures, sides of cube
 - point camera in 6 different directions, facing out from origin



39

Cube Mapping



40


Cube Mapping

- direction of reflection vector r selects the face of the cube to be indexed
 - co-ordinate with largest magnitude
 - e.g., the vector $(-0.2, 0.5, -0.84)$ selects the $-Z$ face
 - remaining two coordinates (normalized by the 3rd coordinate) selects the pixel from the face.
 - e.g., $(-0.2, 0.5)$ gets mapped to $(0.38, 0.80)$.
- difficulty in interpolating across faces

41

Volumetric Texture

- define texture pattern over 3D domain - 3D space containing the object
 - texture function can be digitized or **procedural**
 - for each point on object compute texture from point location in space
- common for natural material/irregular textures (stone, wood, etc...)



42

Volumetric Bump Mapping

Marble



Bump



43

Volumetric Texture Principles

- 3D function $\rho(x,y,z)$
- texture space - 3D space that holds the texture (discrete or continuous)
- rendering: for each rendered point $P(x,y,z)$ compute $\rho(x,y,z)$
- volumetric texture mapping function/space transformed with objects

44

Procedural Approaches



Procedural Textures

- generate "image" on the fly, instead of loading from disk
 - often saves space
 - allows arbitrary level of detail

46

Procedural Texture Effects: Bombing


- randomly drop bombs of various shapes, sizes and orientation into texture space (store data in table)
 - for point P search table and determine if inside shape
 - if so, color by shape
 - otherwise, color by objects color



47

Procedural Texture Effects

- simple marble



```
function boring_marble(point)
    x = point.x;
    return marble_color(sin(x));
// marble_color maps scalars to colors
```

48

Perlin Noise: Procedural Textures


- several good explanations
 - FCG Section 10.1
 - <http://www.noisemachine.com/talk1>
 - http://freespace.virgin.net/hugo.elias/models/m_perlin.htm
 - <http://www.robo-murto.net/code/perlin-noise-math-faq.html>



<http://mdl.nyu.edu/~perlin/planet/> 49

Perlin Noise: Coherency


- smooth not abrupt changes



50

Perlin Noise: Turbulence


- multiple feature sizes
 - add scaled copies of noise



51

Perlin Noise: Turbulence

- multiple feature sizes
 - add scaled copies of noise




52

Perlin Noise: Turbulence

- multiple feature sizes
 - add scaled copies of noise


```
function turbulence(p)
    t = 0; scale = 1;
    while (scale > pixelsize) {
        t += abs(Noise(p/
            scale)*scale);
        scale/=2;
    } return t;
```



53

Generating Coherent Noise


- just three main ideas
 - nice interpolation
 - use vector offsets to make grid irregular
 - optimization
 - sneaky use of 1D arrays instead of 2D/3D one



54

Interpolating Textures


- nearest neighbor
- bilinear
- hermite



55

Vector Offsets From Grid

- weighted average of gradients
 - random unit vectors



56

Optimization

- save memory and time
- conceptually:
 - 2D or 3D grid
 - populate with random number generator
- actually:
 - precompute two 1D arrays of size n (typical size 256)
 - random unit vectors
 - permutation of integers 0 to n-1
 - lookup
 - $g(i, j, k) = G((i + P[(j + P[k]) \bmod n]) \bmod n)$

57

Perlin Marble

- use turbulence, which in turn uses noise:

```
function marble(point)
    x = point.x + turbulence(point);
    return marble_color(sin(x))
```



58


Procedural Modeling

- textures, geometry
 - nonprocedural: explicitly stored in memory
- procedural approach
 - compute something on the fly
 - often less memory cost
 - visual richness
- fractals, particle systems, noise

59

Fractal Landscapes

- fractals: not just for "showing math"
 - triangle subdivision
 - vertex displacement
 - recursive until termination condition




<http://www.fractal-landscapes.co.uk/images.html>

60

Self-Similarity


- infinite nesting of structure on all scales



61

Fractal Dimension

- $D = \log(N)/\log(r)$
- N = measure, r = subdivision scale
- Hausdorff dimension: noninteger




$$D = \log(N)/\log(r) \quad D = \log(4)/\log(3) = 1.26$$

<http://www.vanderbilt.edu/AnS/psychology/cogsci/chaos/workshop/Fractals.html> 62

Language-Based Generation

- L-Systems: after Lindenmayer
 - Koch snowflake: $F \rightarrow FLFRFLF$
 - F: forward, R: right, L: left
 - Mariano's Bush: $F = FF[-F+F+F][+F-F-F]$
 - angle 16



<http://spanky.triumf.ca/www/fractinl/sys/plants.html> 63

1D: Midpoint Displacement

- divide in half
- randomly displace
- scale variance by half



<http://www.gameprogrammer.com/fractal.html> 64

2D: Diamond-Square

- fractal terrain with diamond-square approach
 - generate a new value at midpoint
 - average corner values + random displacement
 - scale variance by half each time



65


Particle Systems

- loosely defined
 - modeling, or rendering, or animation
- key criteria
 - collection of particles
 - random element controls attributes
 - position, velocity (speed and direction), color, lifetime, age, shape, size, transparency
 - predefined stochastic limits: bounds, variance, type of distribution

66

Particle System Examples

- objects changing fluidly over time
 - fire, steam, smoke, water
- objects fluid in form
 - grass, hair, dust
- physical processes
 - waterfalls, fireworks, explosions
- group dynamics: behavioral
 - birds/bats flock, fish school, human crowd, dinosaur/elephant stampede



67

Particle Systems Demos

- general particle systems
 - <http://www.wondertouch.com>
- boids: bird-like objects
 - <http://www.red3d.com/cwr/boids/>

68

Particle Life Cycle

- generation
 - randomly within "fuzzy" location
 - initial attribute values: random or fixed
- dynamics
 - attributes of each particle may vary over time
 - color darker as particle cools off after explosion
 - can also depend on other attributes
 - position: previous particle position + velocity + time
- death
 - age and lifetime for each particle (in frames)
 - or if out of bounds, too dark to see, etc

69

Particle System Rendering

- expensive to render thousands of particles
- simplify: avoid hidden surface calculations
 - each particle has small graphical primitive (blob)
 - pixel color: sum of all particles mapping to it
- some effects easy
 - temporal anti-aliasing (motion blur)
 - normally expensive: supersampling over time
 - position, velocity known for each particle
 - just render as streak

70

Procedural Approaches Summary

- Perlin noise
- fractals
- L-systems
- particle systems

- not at all a complete list!
 - big subject: entire classes on this alone

71