




Tamara Munzner

Transformations

<http://www.ugrad.cs.ubc.ca/~cs314/Vjan2013>

Review: Rendering Pipeline



2

Review: Graphics State

- set the state once, remains until overwritten
 - `glColor3f(1.0, 1.0, 0.0)` → set color to yellow
 - `glClearColor(0.0, 0.0, 0.2)` → dark blue bg
 - `glEnable(LIGHT0)` → turn on light
 - `glEnable(GL_DEPTH_TEST)` → hidden surf.

3

Review: Geometry Pipeline

- tell it how to interpret geometry
 - `glBegin(<mode of geometric primitives>)`
 - `mode = GL_TRIANGLE, GL_POLYGON, etc.`
- feed it vertices
 - `glVertex3f(-1.0, 0.0, -1.0)`
 - `glVertex3f(1.0, 0.0, -1.0)`
 - `glVertex3f(0.0, 1.0, -1.0)`
- tell it you're done
 - `glEnd()`

4

Review: GLUT: OpenGL Utility Toolkit

- simple, portable window manager
 - opening windows
 - handling graphics contexts
 - handling input with callbacks
 - keyboard, mouse, window reshape events
 - timing
 - idle processing, idle events
- designed for small/medium size applications

5

Readings for Transformations I-IV

- FCG Chap 6 Transformation Matrices
 - *except* 6.1.6, 6.3.1
- FCG Sect 13.3 Scene Graphs (3rd ed: 12.2)
- RB Chap Viewing
 - Viewing and Modeling Transforms *until* Viewing Transformations
 - Examples of Composing Several Transformations *through* Building an Articulated Robot Arm
- RB Appendix Homogeneous Coordinates and Transformation Matrices
 - *until* Perspective Projection
- RB Chap Display Lists


6

2D Transformations

7

Transformations

- transforming an object = transforming all its points
- transforming a polygon = transforming its vertices



8

Matrix Representation

- represent 2D transformation with matrix
 - multiply matrix by column vector \iff
apply transformation to point

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} a & b \\ c & d \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} \quad \begin{aligned} x' &= ax + by \\ y' &= cx + dy \end{aligned}$$

- transformations combined by multiplication


$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} a & b \\ c & d \end{bmatrix} \begin{bmatrix} d & e \\ f & g \end{bmatrix} \begin{bmatrix} h & i \\ j & k \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix}$$

- matrices are efficient, convenient way to represent sequence of transformations!

9

Scaling


- scaling** a coordinate means multiplying each of its components by a scalar
- uniform scaling** means this scalar is the same for all components:



10

Scaling

- non-uniform scaling**: different scalars per component:



- how can we represent this in matrix form?


11

Scaling

- scaling operation: $\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} ax \\ by \end{bmatrix}$
- or, in matrix form: $\begin{bmatrix} x' \\ y' \end{bmatrix} = \underbrace{\begin{bmatrix} a & 0 \\ 0 & b \end{bmatrix}}_{\text{scaling matrix}} \begin{bmatrix} x \\ y \end{bmatrix}$


12

2D Rotation




13

2D Rotation From Trig Identities




14

2D Rotation: Another Derivation




15

2D Rotation: Another Derivation



16

2D Rotation: Another Derivation




$$x' = x \cos \theta - y \sin \theta$$

$$y' = x \sin \theta + y \cos \theta$$

17

2D Rotation: Another Derivation




$$x' = x \cos \theta - y \sin \theta$$

$$y' = x \sin \theta + y \cos \theta$$

$$x' = A - B$$

18

2D Rotation: Another Derivation



$$x' = x \cos \theta - y \sin \theta$$


$$y' = x \sin \theta + y \cos \theta$$

$$x' = A - B$$

$$A = x \cos \theta$$

19

2D Rotation: Another Derivation



$$x' = x \cos \theta - y \sin \theta$$

$$y' = x \sin \theta + y \cos \theta$$

$$x' = A - B$$

$$A = x \cos \theta$$

$$B = y \sin \theta$$

20

2D Rotation Matrix

- easy to capture in matrix form:

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} \cos(\theta) & -\sin(\theta) \\ \sin(\theta) & \cos(\theta) \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix}$$


- even though $\sin(q)$ and $\cos(q)$ are nonlinear functions of q ,
 - x' is a linear combination of x and y
 - y' is a linear combination of x and y

21

Shear

- shear along x axis
 - push points to right in proportion to height

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} ? & ? \\ ? & ? \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} + \begin{bmatrix} ? \\ ? \end{bmatrix}$$




22

Shear

- shear along x axis
 - push points to right in proportion to height

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} 1 & sh_x \\ 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} + \begin{bmatrix} 0 \\ 0 \end{bmatrix}$$




23

Reflection

- reflect across x axis
 - mirror

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} ? & ? \\ ? & ? \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} + \begin{bmatrix} ? \\ ? \end{bmatrix}$$




24

Reflection


- reflect across x axis

- mirror
$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} 1 & 0 \\ 0 & -1 \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} + \begin{bmatrix} 0 \\ 0 \end{bmatrix}$$



25


2D Translation



$$\begin{bmatrix} x \\ y \end{bmatrix} + \begin{bmatrix} a \\ b \end{bmatrix} = \begin{bmatrix} x+a \\ y+b \end{bmatrix} = \begin{bmatrix} x' \\ y' \end{bmatrix}$$

26

2D Translation



$$\begin{bmatrix} x \\ y \end{bmatrix} + \begin{bmatrix} a \\ b \end{bmatrix} = \begin{bmatrix} x+a \\ y+b \end{bmatrix} = \begin{bmatrix} x' \\ y' \end{bmatrix}$$

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \underbrace{\begin{bmatrix} a & 0 \\ 0 & b \end{bmatrix}}_{\text{scaling matrix}} \begin{bmatrix} x \\ y \end{bmatrix}$$


scaling matrix

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \underbrace{\begin{bmatrix} \cos(\theta) & -\sin(\theta) \\ \sin(\theta) & \cos(\theta) \end{bmatrix}}_{\text{rotation matrix}} \begin{bmatrix} x \\ y \end{bmatrix}$$

rotation matrix

27

2D Translation



vector addition

$$\begin{bmatrix} x \\ y \end{bmatrix} + \begin{bmatrix} a \\ b \end{bmatrix} = \begin{bmatrix} x+a \\ y+b \end{bmatrix} = \begin{bmatrix} x' \\ y' \end{bmatrix}$$

matrix multiplication

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \underbrace{\begin{bmatrix} a & 0 \\ 0 & b \end{bmatrix}}_{\text{scaling matrix}} \begin{bmatrix} x \\ y \end{bmatrix}$$

scaling matrix


matrix multiplication

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \underbrace{\begin{bmatrix} \cos(\theta) & -\sin(\theta) \\ \sin(\theta) & \cos(\theta) \end{bmatrix}}_{\text{rotation matrix}} \begin{bmatrix} x \\ y \end{bmatrix}$$

rotation matrix

28

2D Translation



vector addition

$$\begin{bmatrix} x \\ y \end{bmatrix} + \begin{bmatrix} a \\ b \end{bmatrix} = \begin{bmatrix} x+a \\ y+b \end{bmatrix} = \begin{bmatrix} x' \\ y' \end{bmatrix}$$

matrix multiplication

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} a & 0 \\ 0 & b \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix}$$

scaling matrix

matrix multiplication

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} \cos(\theta) & -\sin(\theta) \\ \sin(\theta) & \cos(\theta) \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix}$$

rotation matrix

$$\begin{bmatrix} a & b \\ c & d \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} = \begin{bmatrix} x' \\ y' \end{bmatrix}$$

translation multiplication matrix???

29

Linear Transformations

- linear transformations are combinations of
 - shear
 - scale $\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} a & b \\ c & d \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix}$ $x' = ax + by$
 - rotate $y' = cx + dy$
 - reflect
- properties of linear transformations
 - satisfies $T(s\mathbf{x} + t\mathbf{y}) = sT(\mathbf{x}) + tT(\mathbf{y})$
 - origin maps to origin
 - lines map to lines
 - parallel lines remain parallel
 - ratios are preserved
 - closed under composition

30

Challenge

- matrix multiplication
 - for everything except translation
 - how to do everything with multiplication?
 - then just do composition, no special cases
- homogeneous coordinates trick
 - represent 2D coordinates (x,y) with 3-vector (x,y,1)

31

Homogeneous Coordinates

- our 2D transformation matrices are now 3x3:

$$\mathbf{Rotation} = \begin{bmatrix} \cos(\theta) & -\sin(\theta) & 0 \\ \sin(\theta) & \cos(\theta) & 0 \\ 0 & 0 & 1 \end{bmatrix} \quad \mathbf{Scale} = \begin{bmatrix} a & 0 & 0 \\ 0 & b & 0 \\ 0 & 0 & 1 \end{bmatrix}$$


$$\mathbf{Translation} = \begin{bmatrix} 1 & 0 & T_x \\ 0 & 1 & T_y \\ 0 & 0 & 1 \end{bmatrix} \quad \cdot \text{ use rightmost column}$$

$$\begin{bmatrix} 1 & 0 & a \\ 0 & 1 & b \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ 1 \end{bmatrix} = \begin{bmatrix} x*1 + a*1 \\ y*1 + b*1 \\ 1 \end{bmatrix} = \begin{bmatrix} x+a \\ y+b \\ 1 \end{bmatrix}$$

32

Homogeneous Coordinates Geometrically

- point in 2D cartesian




33

Homogeneous Coordinates Geometrically

homogeneous

cartesian

$$(x, y, w) \xrightarrow{/w} \left(\frac{x}{w}, \frac{y}{w} \right)$$



- point in 2D cartesian + weight w = point P in 3D homog. coords
- multiples of (x, y, w)
 - form a line L in 3D
 - all homogeneous points on L represent same 2D cartesian point
 - example: $(2, 2, 1) = (4, 4, 2) = (1, 1, 0.5)$


34

Homogeneous Coordinates Geometrically

homogeneous

cartesian

$$(x, y, w) \xrightarrow{/w} \left(\frac{x}{w}, \frac{y}{w} \right)$$



- **homogenize** to convert homog. 3D point to cartesian 2D point:
 - divide by w to get $(x/w, y/w, 1)$
 - projects line to point onto $w=1$ plane
 - like normalizing, one dimension up
- when $w=0$, consider it as direction
 - points at infinity
 - these points cannot be homogenized
 - lies on x-y plane
- $(0, 0, 0)$ is undefined

35

Affine Transformations

- affine transforms are combinations of

- linear transformations
- translations

$$\begin{bmatrix} x' \\ y' \\ w \end{bmatrix} = \begin{bmatrix} a & b & c \\ d & e & f \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ w \end{bmatrix}$$

- properties of affine transformations
 - **origin does not necessarily map to origin**
 - lines map to lines
 - parallel lines remain parallel
 - ratios are preserved
 - closed under composition

36

Homogeneous Coordinates Summary


- may seem unintuitive, but they make graphics operations much easier
- allow all affine transformations to be expressed through matrix multiplication
 - we'll see even more later...
- use 3x3 matrices for 2D transformations
 - use 4x4 matrices for 3D transformations

37

3D Transformations

38

3D Rotation About Z Axis



$$x' = x \cos \theta - y \sin \theta$$

$$y' = x \sin \theta + y \cos \theta$$

$$z' = z$$

$$\begin{bmatrix} x' \\ y' \\ z' \\ 1 \end{bmatrix} = \begin{bmatrix} \cos \theta & -\sin \theta & 0 & 0 \\ \sin \theta & \cos \theta & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix}$$

- general OpenGL command

glRotatef(angle,x,y,z);

- rotate in z

glRotatef(angle,0,0,1);

39

3D Rotation in X, Y

around x axis: **glRotatef(angle,1,0,0);**


$$\begin{bmatrix} x' \\ y' \\ z' \\ 1 \end{bmatrix} = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & \cos \theta & -\sin \theta & 0 \\ 0 & \sin \theta & \cos \theta & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix}$$

around y axis: **glRotatef(angle,0,1,0);**

$$\begin{bmatrix} x' \\ y' \\ z' \\ 1 \end{bmatrix} = \begin{bmatrix} \cos \theta & 0 & \sin \theta & 0 \\ 0 & 1 & 0 & 0 \\ -\sin \theta & 0 & \cos \theta & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix}$$

40

3D Scaling




$$\begin{bmatrix} x' \\ y' \\ z' \\ 1 \end{bmatrix} = \begin{bmatrix} a & 0 & 0 & 0 \\ 0 & b & 0 & 0 \\ 0 & 0 & c & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix}$$

glScalef(a,b,c);

41

3D Translation



$$\begin{bmatrix} x' \\ y' \\ z' \\ 1 \end{bmatrix} = \begin{bmatrix} 1 & 0 & 0 & a \\ 0 & 1 & 0 & b \\ 0 & 0 & 1 & c \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix}$$

glTranslatef(a,b,c);

42

3D Shear

- general shear

$$shear(h_{xy}, h_{xz}, h_{yx}, h_{yz}, h_{zx}, h_{zy}) = \begin{bmatrix} 1 & h_{yx} & h_{zx} & 0 \\ h_{xy} & 1 & h_{zy} & 0 \\ h_{xz} & h_{yz} & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

- to avoid ambiguity, always say "shear along <axis> in direction of <axis>"

$$shearAlongXinDirectionOfY(h) = \begin{bmatrix} 1 & h & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \quad shearAlongXinDirectionOfZ(h) = \begin{bmatrix} 1 & 0 & h & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

$$shearAlongYinDirectionOfX(h) = \begin{bmatrix} 1 & 0 & 0 & 0 \\ h & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \quad shearAlongYinDirectionOfZ(h) = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & h & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

$$shearAlongZinDirectionOfX(h) = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ h & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \quad shearAlongZinDirectionOfY(h) = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & h & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

43

Summary: Transformations

translate(a,b,c)

$$\begin{bmatrix} x' \\ y' \\ z' \\ 1 \end{bmatrix} = \begin{bmatrix} 1 & & & a \\ & 1 & & b \\ & & 1 & c \\ & & & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix}$$

scale(a,b,c)

$$\begin{bmatrix} x' \\ y' \\ z' \\ 1 \end{bmatrix} = \begin{bmatrix} a & & & \\ & b & & \\ & & c & \\ & & & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix}$$

Rotate (x, θ)

$$\begin{bmatrix} x' \\ y' \\ z' \\ 1 \end{bmatrix} = \begin{bmatrix} 1 & & & \\ \cos \theta & -\sin \theta & & \\ \sin \theta & \cos \theta & & \\ & & & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix}$$

Rotate (y, θ)

$$\begin{bmatrix} \cos \theta & & \sin \theta & \\ & 1 & & \\ -\sin \theta & & \cos \theta & \\ & & & 1 \end{bmatrix}$$

Rotate (z, θ)

$$\begin{bmatrix} \cos \theta & -\sin \theta & & \\ \sin \theta & \cos \theta & & \\ & & & 1 \\ & & & & 1 \end{bmatrix}$$

44

Undoing Transformations: Inverses

$$\mathbf{T}(x, y, z)^{-1} = \mathbf{T}(-x, -y, -z)$$

$$\mathbf{T}(x, y, z) \mathbf{T}(-x, -y, -z) = \mathbf{I}$$

$$\mathbf{R}(z, \theta)^{-1} = \mathbf{R}(z, -\theta) = \mathbf{R}^T(z, \theta) \quad (\mathbf{R} \text{ is orthogonal})$$

$$\mathbf{R}(z, \theta) \mathbf{R}(z, -\theta) = \mathbf{I}$$

$$\mathbf{S}(sx, sy, sz)^{-1} = \mathbf{S}\left(\frac{1}{sx}, \frac{1}{sy}, \frac{1}{sz}\right)$$

$$\mathbf{S}(sx, sy, sz) \mathbf{S}\left(\frac{1}{sx}, \frac{1}{sy}, \frac{1}{sz}\right) = \mathbf{I}$$

45

Composing Transformations

46

Composing Transformations

- translation

$$T1 = T(dx1, dy1) = \begin{bmatrix} 1 & & dx1 \\ & 1 & dy1 \\ & & 1 \end{bmatrix} \quad T2 = T(dx2, dy2) = \begin{bmatrix} 1 & & dx2 \\ & 1 & dy2 \\ & & 1 \end{bmatrix}$$

$$P' = T2 \cdot P = T2 \cdot [T1 \cdot P] = [T2 \cdot T1] \cdot P, \text{ where}$$

$$T2 \cdot T1 = \begin{bmatrix} 1 & & dx1 + dx2 \\ & 1 & dy1 + dy2 \\ & & 1 \end{bmatrix} \quad \text{so translations add}$$

47

Composing Transformations

- scaling


$$S2 \cdot S1 = \begin{bmatrix} sx1 \cdot dx2 & & & \\ & sy1 \cdot sy2 & & \\ & & 1 & \\ & & & 1 \end{bmatrix} \quad \text{so scales multiply}$$

- rotation

$$R2 \cdot R1 = \begin{bmatrix} \cos(\theta1 + \theta2) & -\sin(\theta1 + \theta2) & & \\ \sin(\theta1 + \theta2) & \cos(\theta1 + \theta2) & & \\ & & 1 & \\ & & & 1 \end{bmatrix} \quad \text{so rotations add}$$

48


Composing Transformations




$T_a T_b = T_b T_a$, but $R_a R_b \neq R_b R_a$ and $T_a R_b \neq R_b T_a$

- translations commute
- rotations around same axis commute
- rotations around different axes do not commute
- rotations and translations do not commute


Composing Transformations




Composing Transformations



Composing Transformations



Composing Transformations



53

Composing Transformations

$$\mathbf{p}' = \mathbf{TRp}$$

- which direction to read?

54

Composing Transformations

$$\mathbf{p}' = \mathbf{TRp}$$


- which direction to read?
 - right to left
 - interpret operations wrt fixed coordinates
 - **moving object**
 - left to right
 - interpret operations wrt local coordinates
 - **changing coordinate system**
 - in OpenGL, cannot move object once it is drawn!!
 - object specified as set of coordinates wrt specific coord sys

55

Composing Transformations

$$\mathbf{p}' = \mathbf{TRp}$$


- which direction to read?
 - right to left
 - interpret operations wrt fixed coordinates
 - **moving object**
 - draw thing
 - rotate thing by -45 degrees wrt origin
 - translate it $(-2, -3)$ over




56

Composing Transformations

$$\mathbf{p}' = \mathbf{TRp}$$

- which direction to read?
 - left to right 
 - interpret operations wrt local coordinates
 - **changing coordinate system**
 - translate coordinate system (2, 3) over
 - rotate coordinate system 45 degrees wrt origin
 - draw object in current coordinate system



57

Composing Transformations


$$\mathbf{p}' = \mathbf{TRp}$$

- which direction to read?
 - right to left
 - interpret operations wrt fixed coordinates
 - **moving object**
 - left to right **OpenGL pipeline ordering!**
 - interpret operations wrt local coordinates
 - **changing coordinate system**
 - OpenGL updates current matrix with postmultiply
 - `glTranslatef(2,3,0);`
 - `glRotatef(-90,0,0,1);`
 - `glVertexf(1,1,1);`
 - specify vector last, in final coordinate system
 - first matrix to affect it is specified second-to-last


58

Interpreting Transformations

translate by (-1,0)




moving object



intuitive?

changing coordinate system



OpenGL

- same relative position between object and basis vectors


59

Matrix Composition

- matrices are convenient, efficient way to represent series of transformations
 - general purpose representation
 - hardware matrix multiply
 - matrix multiplication is associative
 - $\mathbf{p}' = (\mathbf{T}*(\mathbf{R}*(\mathbf{S}*\mathbf{p})))$
 - $\mathbf{p}' = (\mathbf{T}*\mathbf{R}*\mathbf{S})*\mathbf{p}$
- procedure
 - correctly order your matrices!
 - multiply matrices together
 - result is one matrix, multiply vertices by this matrix
 - all vertices easily transformed with one matrix multiply

60


Rotation About a Point: Moving Object



61

Rotation: Changing Coordinate Systems


- same example: rotation around arbitrary center



62

Rotation: Changing Coordinate Systems


- rotation around arbitrary center
 - step 1: translate coordinate system to rotation center



63

Rotation: Changing Coordinate Systems


- rotation around arbitrary center
 - step 2: perform rotation



64

Rotation: Changing Coordinate Systems

- rotation around arbitrary center
 - step 3: back to original coordinate system



65

General Transform Composition

- transformation of geometry into coordinate system where operation becomes simpler
 - typically translate to origin
- perform operation
- transform geometry back to original coordinate system


66

Rotation About an Arbitrary Axis

- axis defined by two points
- translate point to the origin
- rotate to align axis with z-axis (or x or y)
- perform rotation
- undo aligning rotations
- undo translation


67

Arbitrary Rotation




- arbitrary rotation: change of basis
 - given two **orthonormal** coordinate systems XYZ and ABC
 - A 's location in the XYZ coordinate system is $(a_x, a_y, a_z, 1), \dots$

Arbitrary Rotation



- arbitrary rotation: change of basis
 - given two **orthonormal** coordinate systems *XYZ* and *ABC*
 - *A*'s location in the *XYZ* coordinate system is $(a_x, a_y, a_z, 1)$, ...

Arbitrary Rotation




- arbitrary rotation: change of basis
 - given two **orthonormal** coordinate systems *XYZ* and *ABC*
 - *A*'s location in the *XYZ* coordinate system is $(a_x, a_y, a_z, 1)$, ...
 - transformation from one to the other is matrix *R* whose **columns** are *A, B, C*:

$$R(X) = \begin{bmatrix} a_x & b_x & c_x & 0 \\ a_y & b_y & c_y & 0 \\ a_z & b_z & c_z & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 1 \\ 0 \\ 0 \\ 1 \end{bmatrix} = (a_x, a_y, a_z, 1) = A$$


Transformation Hierarchies

Transformation Hierarchies


- scene may have a hierarchy of coordinate systems
 - stores matrix at each level with incremental transform from parent's coordinate system



- scene graph




Transformation Hierarchy Example 1



73

Transformation Hierarchy Example 2


- draw same 3D data with different transformations: instancing



74

Transformation Hierarchies Demo

- transforms apply to graph nodes beneath




<http://www.cs.brown.edu/exploratories/freeSoftware/catalogs/scenegraphs.html>

75


Matrix Stacks

- challenge of avoiding unnecessary computation
 - using inverse to return to origin
 - computing incremental $T_1 \rightarrow T_2$



76

Matrix Stacks



77


Modularization

- drawing a scaled square
 - push/pop ensures no coord system change

```
void drawBlock(float k) {
    glPushMatrix();

    glScalef(k,k,k);
    glBegin(GL_LINE_LOOP);
    glVertex3f(0,0,0);
    glVertex3f(1,0,0);
    glVertex3f(1,1,0);
    glVertex3f(0,1,0);
    glEnd();

    glPopMatrix();
}
```




78

Matrix Stacks

- advantages
 - no need to compute inverse matrices all the time
 - modularize changes to pipeline state
 - avoids incremental changes to coordinate systems
 - accumulation of numerical errors
- practical issues
 - in graphics hardware, depth of matrix stacks is limited
 - (typically 16 for model/view and about 4 for projective matrix)

Transformation Hierarchy Example 3





```
glLoadIdentity();
glTranslatef(4,1,0);
glPushMatrix();
glRotatef(45,0,0,1);
glTranslatef(0,2,0);
glScalef(2,1,1);
glTranslate(1,0,0);
glPopMatrix();
```

79

80

Transformation Hierarchy Example 4



```

glTranslate3f(x,y,0);
glRotatef(theta_1,0,0,1);
DrawBody();
glPushMatrix();
  glTranslate3f(0,7,0);
  DrawHead();
glPopMatrix();
glPushMatrix();
  glTranslate(2.5,5.5,0);
  glRotatef(theta_2,0,0,1);
  DrawUArm();
  glTranslate(0,-3.5,0);
  glRotatef(theta_3,0,0,1);
  DrawLArm();
glPopMatrix();
... (draw other arm)
    
```

81

Hierarchical Modelling

- advantages
 - define object once, instantiate multiple copies
 - transformation parameters often good control knobs
 - maintain structural constraints if well-designed
- limitations
 - expressivity: not always the best controls
 - can't do closed kinematic chains
 - keep hand on hip
 - can't do other constraints
 - collision detection
 - self-intersection
 - walk through walls

82

Display Lists

- precompile/cache block of OpenGL code for reuse
 - usually more efficient than **immediate mode**
 - exact optimizations depend on driver
 - good for multiple instances of same object
 - but cannot change contents, not parametrizable
 - good for static objects redrawn often
 - display lists persist across multiple frames
 - interactive graphics: objects redrawn every frame from new viewpoint from moving camera
 - can be nested hierarchically
- snowman example
 - <http://www.lighthouse3d.com/opengl/displaylists>

83

84


One Snowman



```
void drawSnowMan() {  
    // Draw Eyes  
    glColor3f(1.0f, 1.0f, 1.0f);  
    glPushMatrix();  
    glColor3f(0.0f,0.0f,0.0f);  
    glTranslatef(0.05f, 0.10f, 0.18f);  
    glutSolidSphere(0.05f,10,10);  
    glTranslatef(-0.1f, 0.0f, 0.0f);  
    glutSolidSphere(0.05f,10,10);  
    glPopMatrix();  
    // Draw Nose  
    glColor3f(1.0f, 0.5f, 0.5f);  
    glRotatef(0.0f,1.0f, 0.0f, 0.0f);  
    glutSolidCone(0.08f,0.5f,10,2);  
}  
// Draw Body  
glTranslatef(0.0f ,0.75f, 0.0f);  
glutSolidSphere(0.75f,20,20);  
// Draw Head  
glTranslatef(0.0f, 1.0f, 0.0f);  
glutSolidSphere(0.25f,20,20);
```

85

Instantiate Many Snowmen



```
// Draw 36 Snowmen  
for(int i = -3; i < 3; i++)  
    for(int j=-3; j < 3; j++) {  
        glPushMatrix();  
        glTranslatef(i*10.0, 0, j * 10.0);  
        // Call the function to draw a snowman  
        drawSnowMan();  
        glPopMatrix();  
    }  
}
```

36K polygons, 55 FPS

86

Making Display Lists

```
GLuint createdL() {  
    GLuint snowManDL;  
    // Create the id for the list  
    snowManDL = glGenLists(1);  
    glNewList(snowManDL, GL_COMPILE);  
    drawSnowMan();  
    glEndList();  
    return(snowManDL); }  
snowmanDL = createdL();  
for(int i = -3; i < 3; i++)  
    for(int j=-3; j < 3; j++) {  
        glPushMatrix();  
        glTranslatef(i*10.0, 0, j * 10.0);  
        glCallList(snowManDL);  
        glPopMatrix(); }
```

36K polygons, 153 FPS

87

Transforming Normals


88

Transforming Geometric Objects


- lines, polygons made up of vertices
 - transform the vertices
 - interpolate between
- does this work for everything? no!
 - normals are trickier

89

Computing Normals



- normal
 - direction specifying orientation of polygon
 - $w=0$ means direction with homogeneous coords
 - vs. $w=1$ for points/vectors of object vertices
 - used for lighting
 - must be normalized to unit length
 - can compute if not supplied with object



$$N = (P_2 - P_1) \times (P_3 - P_1)$$

90

Transforming Normals


$$\begin{bmatrix} x' \\ y' \\ z' \\ 0 \end{bmatrix} = \begin{bmatrix} m_{11} & m_{12} & m_{13} & T_x \\ m_{21} & m_{22} & m_{23} & T_y \\ m_{31} & m_{32} & m_{33} & T_z \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ 0 \end{bmatrix}$$

- so if points transformed by matrix **M**, can we just transform normal vector by **M** too?
 - translations OK: $w=0$ means unaffected
 - rotations OK
 - uniform scaling OK
- these all maintain direction

91

Transforming Normals

- nonuniform scaling does not work
- $x-y=0$ plane
 - line $x=y$
 - normal: $[1, -1, 0]$
 - direction of line $x=-y$
 - (ignore normalization for now)




92

Transforming Normals

- apply nonuniform scale: stretch along x by 2
 - new plane $x = 2y$
- transformed normal: $[2, -1, 0]$

$$\begin{bmatrix} 2 \\ -1 \\ 0 \\ 0 \end{bmatrix} = \begin{bmatrix} 2 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 1 \\ -1 \\ 0 \\ 0 \end{bmatrix}$$



- normal is direction of line $x = -2y$ or $x+2y=0$
- not perpendicular to plane!
- should be direction of $2x = -y$

93

Planes and Normals

- plane is all points perpendicular to normal
 - $N \cdot P = 0$ (with dot product)
 - $N^T \cdot P = 0$ (matrix multiply requires transpose)

$$N = \begin{bmatrix} a \\ b \\ c \\ d \end{bmatrix}, P = \begin{bmatrix} x \\ y \\ z \\ w \end{bmatrix}$$

- explicit form: plane = $ax + by + cz + d$

94

Finding Correct Normal Transform

- transform a plane

$$\begin{matrix} P \\ N \end{matrix} \longrightarrow \begin{matrix} P = MP \\ N = QN \end{matrix} \quad \begin{matrix} \text{given } M, \\ \text{what should } Q \text{ be?} \end{matrix}$$

$$N^T P = 0$$

stay perpendicular

$$(QN)^T (MP) = 0$$

substitute from above

$$N^T Q^T MP = 0$$

$$(AB)^T = B^T A^T$$

$$Q^T M = I$$

$$N^T P = 0 \text{ if } Q^T M = I$$

$$Q = (M^{-1})^T$$

thus the normal to any surface can be transformed by the inverse transpose of the modelling transformation

95

Reading for Next Topic: Viewing

- FCG Chapter 7 Viewing
- FCG Section 6.3.1 Windowing Transforms
- RB rest of Chap Viewing
- RB rest of App Homogeneous Coords

96