


Chapter 9

Texture Mapping




Texture Mapping

- Real life objects non uniform in terms of color & normal
- To generate realistic objects - reproduce coloring & normal variations = **Texture**
- Can often replace complex geometric details




Color Texture Mapping

- Define color (RGB) for each point on object surface
- Two approaches
 - Surface texture map
 - Volumetric texture



Surface texture

- Define texture pattern over (u,v) domain (Image)
 - Image - 2D array of "texels"
- Assign (u,v) coordinates to each point on object surface
- For free-form - use inverse of surface function
- For polygons (triangle)
 - Inside - use barycentric coordinates
 - For vertices need mapping function



Texture Mapping - OpenGL

- Texture Coordinates
 - generation at vertices
 - specified by programmer or artist


```
glTexCoord2f(s, t)
```

```
glVertexf(x, y, z)
```
 - generate as a function of vertex coords
 - interpolated across triangle (like R,G,B,Z) (well, not quite...)

Texture Mapping

- Texture coordinate interpolation
 - Perspective foreshortening problem
 - Also problematic for color interpolation, etc.

Perspective - Reminder

- Matrix formulation

$$(x, y, z, 1) \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & \frac{d}{d-\alpha} & \frac{1}{d-\alpha} \\ 0 & 0 & \frac{-\alpha d}{d-\alpha} & 0 \end{pmatrix} = \left(x, y, \frac{(z-\alpha)d}{d-\alpha}, \frac{z}{d-\alpha} \right)$$

$$(x' \ y' \ z' \ w) = \left(x, y, \frac{(z-\alpha)d}{d-\alpha}, \frac{z}{d-\alpha} \right)$$

$$(x_p, y_p, z_p) = \left(\frac{x}{z/d' - z/d' - \alpha} \left(1 - \frac{\alpha}{z} \right) \right)$$

Texture Coordinate Interpolation

- Perspective Correct Interpolation
 - α, β, γ : Barycentric coordinates of point P
 - s_0, s_1, s_2 : texture coordinates of vertices
 - w_0, w_1, w_2 : homogenous coordinate of vertices

$$s = \frac{\alpha \cdot s_0 / w_0 + \beta \cdot s_1 / w_1 + \gamma \cdot s_2 / w_2}{\alpha / w_0 + \beta / w_1 + \gamma / w_2}$$

Reconstruction

(image courtesy of Kiriakos Kutulakos, U Rochester)

Reconstruction

- How to deal with:
 - pixels that are much larger than texels ? (apply filtering, "averaging")
 - pixels that are much smaller than texels ? (interpolate)

MIP-mapping

Use "image pyramid" to precompute averaged versions of the texture


Volumetric Texture

- Define texture pattern over 3D domain - 3D space containing the object
 - Texture function can be digitized or **procedural**
 - For each point on object compute texture from point location in space
- Common for natural material/irregular textures (stone, wood, etc...)





Texture Parameters

- In addition to color can control other material/object properties
 - Reflectance (either diffuse or specular)
 - Surface normal (bump mapping)
 - Transparency
 - Reflected color (environment mapping)




Normal – Bump Mapping

- Object surface often not smooth – to recreate correctly need complex geometry model
- Can control shape “effect” by locally perturbing surface normal
 - Random perturbation
 - Directional change over region



Normal map



Environmental Mapping

- Cheap way to achieve reflective effect
 - Generate image of surrounding
 - Map to object as texture

